



THE ONE

CLINIC OF AESTHETICS

PRE & POST CARE

Hyaluronidase



Hyaluronidase Aftercare

PRE & POST CARE

Keep this post - treatment sheet safe and present it to the treating physician in the event of an adverse reaction

Hyaluronidase is an enzyme which breaks down hyaluronic acid fillers, but it can also break down naturally occurring hyaluronic acid present in the body. The results can be unpredictable and the effect dramatic with possible loss of volume and some skin laxity. Although some of the effects can be immediate, it can take up to 2 weeks for the final results to be seen and the procedure may need to be repeated.

Hyaluronidase administration can result in anaphylaxis (a severe allergic reaction) which in itself is life threatening and requires immediate medical attention. Symptoms of a severe allergic reaction can include shortness of breath, wheezing, coughing, difficulty swallowing, swelling of the tongue, eyelids, lips, hoarseness of the voice, stomach pain, nausea or diarrhoea.

If you have any of the above symptoms please report to your nearest Emergency Department or call 911 for an ambulance.

After the procedure some other common injection-related reactions might occur. These reactions include redness, swelling, pain, itching, bruising and tenderness at the injection site. They have generally been described as mild to moderate and typically resolve spontaneously after a few days after injection. Bruising may occasionally be more significant.

If you have any concerns following treatment, do not hesitate to contact us at 289-668-4218 or 647-968-4218. If this is outside of normal hours, please leave a message and we will get back to you as soon as possible.

Questions about the Pre & Post Care? Call us at 647-968-4218